



www.ofthalmoloji.org

TURKISH JOURNAL OF OPHTHALMOLOGY

TURKISH JOURNAL OF OPHTHALMOLOGY

TJO

E-ISSN: 2149-8709

Research Articles

Revisiting Pentacam Parameters in the Diagnosis of Subclinical and Mild Keratoconus Based on Different Grading System Definitions

Ibrahim Toprak et al.; Denizli, Türkiye; Alicante, Spain

The Effect of Autografts from the Inferior and Superior Bulbar Conjunctiva on the Ocular Surface in Primary Pterygium Surgery: A Cytology Study

Burcu Kazancı et al.; Ankara, Türkiye

Expression Analysis of the Small GTP-Binding Protein Rac in Pterygium

Ahmet Saracaloğlu et al.; Gaziantep, Şanlıurfa, Türkiye

Evaluation of Central and Peripheral Retinal Vascular Changes in the Fellow Eyes of Patients with Unilateral Retinal Vein Occlusions

Mestan Ertop et al.; Ankara, Gaziantep, Türkiye

Real-World Outcomes of Intravitreal Anti-Vascular Endothelial Growth Factor Treatment for Diabetic Macular Edema in Türkiye: MARMASIA Study Group Report No. 1

Uğur Yayla et al.; Kocaeli, İstanbul, Sakarya, Türkiye

Anterior Segment Changes and Refractive Outcomes after Cataract Surgery Combined with Gonioscopy-Assisted Transluminal Trabeculotomy in Open-Angle Glaucoma

Hatice Tekcan et al.; İstanbul, Türkiye

Invited Review

Golden Indications and an Overview on the Use of Botulinum Toxin in Strabismus

Seyhan B. Özkan; Aydın, Türkiye

Case Reports

Extraretinal Fibrovascular Proliferation in a Neonate Possibly Associated with an ESAM Gene Variant

Sadık Etkin Bayramoğlu et al.; İstanbul, Türkiye

Neurofibromatosis Type 1 Vasculopathy Presenting as Branch Retinal Vein Occlusion: Case Report and Review of the Literature

Ece Özdemir Zeydanlı and Şengül Özdek; Ankara, Türkiye

Surgical Treatment of Bullous Exudative Retinal Detachment Secondary to Atypical Bilateral Central Serous Chorioretinopathy

Hüseyin Baran Özdemir et al.; Ankara, İstanbul, Türkiye

TURKISH JOURNAL OF OPHTHALMOLOGY



www.offtalmoloji.org

TJO

Editor-in-Chief

BANU BOZKURT, MD

Selçuk University Faculty of Medicine, Department of Ophthalmology, Konya, Türkiye

Areas of Interest: Cornea and Ocular Surface Disease, Glaucoma, Allergy and Immunology

E-mail: drbanubozkurt@yahoo.com

ORCID ID: orcid.org/0000-0002-9847-3521

Associate Editors

SAIT EĞRİLMEZ, MD

Izmir University of Economics Faculty of Medicine, Izmir, Türkiye

Areas of Interest: Cornea and Ocular Surface Disease, Contact Lens, Refraction, Cataract and Refractive Surgery

E-mail: saitegrilmez@gmail.com

ORCID ID: orcid.org/0000-0002-6971-527X

HAKAN ÖZDEMİR, MD

Bezmialem Vakıf University Faculty of Medicine, Department of Ophthalmology, Istanbul, Türkiye

Areas of Interest: Medical Retina, Vitreoretinal Surgery

E-mail: hozdemir72@hotmail.com

ORCID ID: orcid.org/0000-0002-1719-4265

NILGÜN YILDIRIM, MD

Eskişehir Osmangazi University Faculty of Medicine, Department of Ophthalmology, Eskişehir, Türkiye

Areas of Interest: Glaucoma, Cornea and Ocular Surface, Oculoplastic Surgery

E-mail: nyildirim@yahoo.com

ORCID ID: orcid.org/0000-0001-6506-0336

ÖZLEM YILDIRIM, MD

Mersin University Faculty of Medicine, Department of Ophthalmology, Mersin, Türkiye

Areas of Interest: Uveitis, Medical Retina, Glaucoma

E-mail: dryildirimo@hotmail.com

ORCID ID: orcid.org/0000-0002-3773-2497

Statistics Editor

AHMET DİRİCAN,

Istanbul University Istanbul Faculty of Medicine, Department of Biostatistics and Medical Informatics, Istanbul, Türkiye

English Language Editor

JACQUELINE RENEE GUTENKUNST, MARYLAND, ABD

Advisory Board

Özgül ALTINTAŞ,

Acıbadem University Faculty of Medicine, Department of Ophthalmology, Istanbul, Türkiye

Erdinç AYDIN,

Izmir Katip Çelebi University Atatürk Training and Research Hospital, Clinic of Ophthalmology, Izmir, Türkiye

Atilla BAYER,

Clinic of Ophthalmology, Dünyagöz Hospital, Ankara, Türkiye

Jose M. BENÍTEZ-del-CASTILLO,

Universidad Complutense de Madrid, Hospital Clinico San Carlos, Department of Ophthalmology, Madrid, Spain

M. Pınar ÇAKAR ÖZDAL,

Ankara Medipol University Faculty of Medicine, Department of Ophthalmology, Ankara, Türkiye

Murat DOĞRU,

Keio University Faculty of Medicine, Department of Ophthalmology, Tokyo, Japan

Ahmet Kaan GÜNDÜZ,

Ankara University Faculty of Medicine, Department of Ophthalmology, Ankara, Türkiye

Elif ERDEM,

Çukurova University Faculty of Medicine, Balcali Hospital Department of Ophthalmology, Adana, Türkiye

Ömer KARTI,

Izmir Democracy University, Buca Seyfi Demirsoy Hospital, Izmir, Türkiye

Tero KIVELÄ,

University of Helsinki, Helsinki University Hospital, Department of Ophthalmology, Helsinki, Finland

Sibel KOCABEYOĞLU,

Hacettepe University Faculty of Medicine, Department of Ophthalmology, Ankara, Türkiye

Anastasio G.P. KONSTAS,

Aristotle University of Thessaloniki, Department of Ophthalmology, Thessaloniki, Greece

Sedef KUTLUK,

Private Practice, Ankara, Türkiye

Anat LOEWENSTEIN,

Tel Aviv University Sackler Faculty of Medicine, Department of Ophthalmology, Tel Aviv, Israel

Mehmet Cem MOCAN,

University of Illinois at Chicago, Department of Ophthalmology and Visual Sciences, Chicago

Halit OĞUZ,

Istanbul Medeniyet University Faculty of Medicine, Department of Ophthalmology, Göztepe Training and Research Hospital, Istanbul, Türkiye

Ayşe ÖNER,

Acıbadem Healthcare Group, Kayseri Acıbadem Hospital, Kayseri, Türkiye

Altan Atakan ÖZCAN,

Çukurova University Faculty of Medicine, Department of Ophthalmology, Adana, Türkiye

Ali Osman SAATÇİ,

Dokuz University Faculty of Medicine, Department of Ophthalmology, Izmir, Türkiye

H. Nida ŞEN,

George Washington University, National Eye Institute, Department of Ophthalmology, Washington, USA

Sinan TATLIPINAR,

Yeditepe University Faculty of Medicine, Department of Ophthalmology, Istanbul, Türkiye

Zeliha YAZAR,

University of Health Sciences Türkiye Ankara City Hospital MHC Building Eye Units Division, Ankara, Türkiye

Bülent YAZICI,

Private Practice, Bursa, Türkiye

Publishing House

Molla Gürani Mah. Kaçamak Sokak No: 21,
34093 Fındıkzade-Istanbul-Türkiye

Publisher Certificate Number: 14521

Phone: +90 (530) 177 30 97

E-mail: info@galenos.com.tr

Online Publishing Date: December 2023

International scientific journal published bimonthly.

E-ISSN: 2149-8709



The Turkish Journal of Ophthalmology is an official journal of the Turkish Ophthalmological Association.

On Behalf of the Turkish Ophthalmological Association Owner

Hüban ATILLA

Ankara University Faculty of Medicine, Department of Ophthalmology, Ankara, Türkiye

TURKISH JOURNAL OF OPHTHALMOLOGY



www.ofthalmoloji.org

TJO

ABOUT US

The Turkish Journal of Ophthalmology is the only scientific periodical publication of the Turkish Ophthalmological Association and has been published since January 1929. The Journal was first published in Turkish and French in an effort to bring Turkish ophthalmological research to the international scientific audience. Despite temporary interruptions in publication over the intervening decades due to various challenges, the Turkish Journal of Ophthalmology has been published continually from 1971 to the present.

The Journal currently publishes articles in Turkish and English after an independent, unbiased double-blind peer review process. Issues are published electronically six times a year, with occasional special issues.

The aim of the Turkish Journal of Ophthalmology is to publish original research articles of the highest scientific and clinical value at an international level. It also features review articles, case reports, editorial commentary, letters to the editor, educational contributions, and congress/meeting announcements.

The target audience of the Turkish Journal of Ophthalmology includes physicians working in the various areas of ophthalmology and all other health professionals interested in these issues.

The Journal's publication policies are based on the Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals from the International Committee of Medical Journal Editors (ICMJE) (2013, archived at <http://www.icmje.org/>).

The Turkish Journal of Ophthalmology is indexed in the **PubMed/MEDLINE, PubMed Central (PMC), Web of Science-Emerging Sources Citation Index (ESCI), Scopus, TÜBİTAK/ULAKBİM, Directory of Open Access Journals (DOAJ), EBSCO Database, Gale, CINAHL, Proquest, Embase, British Library, J-Gate, IdealOnline, Türk Medline, Hinari, GOALI, ARDI, OARE, AGORA, and Turkish Citation Index.**

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Author(s) and copyright owner(s) grant access to all users for the articles published in the Turkish Journal of Ophthalmology as free of charge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI). By "open access" to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND) International License.

Copyright

Turkish Journal of Ophthalmology is an open access publication, and the journal's publication model is based on Budapest Open Access Initiative (BOAI) declaration.

All published content is available online, free of charge at www.ofthalmoloji.org/.

The journal's content is licensed under a Creative Commons Attribution-NonCommercial (CC BY-NC-ND) 4.0 International License. Under this Open Access license, you as the author agree that anyone can copy, distribute or reuse the content of your article for non-commercial purposes for free as long as the author and original source are properly cited.

The authors agree to transfer the copyright to the Turkish Ophthalmological Association, if the article is accepted for publication.

Subscription Information

The full text of all issues of the Journal can be accessed free of charge at www.ofthalmoloji.org.

Contact Information

Editor-in-Chief, Banu Bozkurt, MD, Professor of Ophthalmology

E-mail: drbanubozkurt@yahoo.com

Turkish Journal of Ophthalmology

Avrupa Konutları Kale, Maltepe Mah. Yedikule Çırpıcı Yolu Sk. 9. Blok No: 2 Kat:1 Ofis:1 Zeytinburnu-Istanbul-Türkiye

Secretary: Selvinaz Arslan

E-mail: dergi@ofthalmoloji.org - sekreter@ofthalmoloji.org

Phone: +90 212 801 44 36/37 **Fax:** +90 212 801 44 39

Website: www.ofthalmoloji.org

Advertisement

Applications for advertisement should be addressed to the editorial office.

Publisher Contact Information

Galenos Publishing House, Ltd. Şti.

Address: Molla Gürani Mah. Kaçamak Sk. No: 21, 34093 Fındıkzade-Istanbul-Türkiye

Phone: +90 (530) 177 30 97

E-mail: info@galenos.com.tr

Information for Authors

Instructions for authors can be found on the Journal website and at www.ofthalmoloji.org.

Material Disclaimer

The opinions and reports stated in all articles published in the Turkish Journal of Ophthalmology are the views of the author(s). They do not reflect the opinions of the Editor-in-Chief, editorial board, or publisher, and these parties accept no responsibility for these articles.



INSTRUCTIONS TO AUTHORS

The Turkish Journal of Ophthalmology is the official periodical of the Turkish Ophthalmological Association and accepts manuscripts written in Turkish and English. Each issue is published electronically in both Turkish and English. Manuscripts submitted in Turkish should be consistent with the Turkish Dictionary and Writing Guide ("Türkçe Sözlüğü ve Yazım Kılavuzu") of the Turkish Language Association, and care should be taken to use the Turkish forms of words. The Turkish Journal of Ophthalmology charges no submission or manuscript processing fee.

Contributions submitted to the Journal must be original and not published elsewhere or under consideration for publication by another journal.

Reviewed and accepted manuscripts are translated either from Turkish to English or from English to Turkish by the Journal through a professional translation service. Prior to publication, the translations are sent to the authors for approval or correction requests, to be returned within 3 days. If no response is received from the corresponding author within this period, the translation is checked and approved by the editorial board.

Turkish Journal of Ophthalmology is abbreviated as TJO, but should be denoted as Turk J Ophthalmol when referenced. In the international index and database, the journal is registered as Turkish Journal of Ophthalmology, abbreviated as Turk J Ophthalmol.

Scientific and ethical liability for a contribution remains with the author(s) and copyright is held by TJO. Authors are responsible for article contents and accuracy of the references. Manuscripts submitted for publication must be accompanied by the Copyright Transfer Form signed by all contributing authors. By submitting this form, the authors guarantee that the manuscript and the data therein are not previously published or being evaluated for publication elsewhere and declare their scientific contribution and liability.

All manuscripts submitted to TJO are screened for plagiarism using iThenticate. Results indicating plagiarism may result in manuscripts being returned or rejected.

Experimental, clinical and drug studies requiring approval by an ethics committee must be submitted to TJO with an ethics committee approval report confirming that the study was conducted in accordance with international agreements and the Helsinki Declaration (2013 revision) (<https://www.wma.net/policies-post/wma-declaration-of-helsinki-ethical-principles-for-medical-research-involving-human-subjects>). Information regarding ethical approval and patient informed consent for the study should be indicated in the Materials and Methods section. For experimental animal studies, the authors should include a statement confirming that the study procedures were in accordance with animal rights as per the Guide for the Care and Use of Laboratory Animals (<http://oacu.od.nih.gov/regs/guide/guide.pdf>) and that animal ethics committee approval was obtained.

If an article includes any direct or indirect commercial connections or if any institution provided material support for the research, authors must include a statement in the cover letter stating that they have no commercial relationship with the relevant product, drug, pharmaceutical company, etc. or specifying the nature of their relationship (consultant, other agreements).

All individuals and organizations from which the authors received any form of assistance and other support should be

declared, and the Conflicts of Interest Form should be used to explain any conflicts of interest.

All contributions are evaluated by the editor-in-chief, associate editors, and independent referees.

The Turkish Journal of Ophthalmology uses an independent, unbiased, double-blind peer review process. Manuscripts are received and reviewed by the editor-in-chief, who directs them to the appropriate section editor. The section editor sends the manuscript to three independent referees. Referees are selected by the editorial board from among national and international experts in the area relevant to the study. The referees accept or reject the invitation to review the manuscript within two weeks. If they accept, they are expected to return their decision within 21 days. The associate editor reviews the referees' decisions, adds their own feedback, and returns the manuscript to the editor-in-chief, who makes the final decision. In case of disagreement among referees, the editor can assign a new referee.

The editor-in-chief, associate editors, biostatistics consultant, and English language editor may make minor changes to accepted manuscripts before publication, provided they do not fundamentally change the text.

In case of a potential scientific error or suspicion/allegation of ethical infringement in research submitted for evaluation, the Journal reserves the right to submit the manuscript to the supporting institutions or other authorities for investigation. The Journal accepts the responsibility of properly following-up on the issue but does not undertake any responsibility for the actual investigation or any power of decision regarding errors.

The editorial policies and general guidelines for manuscript preparation specified below are based on the "Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" from the International Committee of Medical Journal Editors (ICMJE) (2013, archived at <http://www.icmje.org/>).

Research articles, systematic reviews, and meta-analyses should be prepared according to the relevant guidelines:

CONSORT statement for randomized controlled trials (Moher D, Schultz KF, Altman D, for the CONSORT Group. The CONSORT statement revised recommendations for improving the quality of reports of parallel group randomized trials. *JAMA* 2001; 285: 1987-91) (<http://www.consort-statement.org/>);

PRISMA statement of preferred reporting items for systematic reviews and meta-analyses (Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med* 2009; 6(7): e1000097.) (<http://www.prisma-statement.org/>);

STARD checklist for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al., for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. *Ann Intern Med* 2003;138:40-4.) (<http://www.stard-statement.org/>);

STROBE statement, a checklist of items that should be included in reports of observational studies (<http://www.strobe-statement.org/>);

MOOSE guidelines for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al., for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. *Ann Intern Med* 2003;138:40-4.) (<http://www.stard-statement.org/>);

Studies in Epidemiology (MOOSE) group. *JAMA* 2000; 283: 2008-12).

GENERAL GUIDELINES

All submissions to TJO are made electronically through the Journal Agent website (<http://journalagent.com/tjo/>). After creating an account, authors can use this system for the online submission and review process. Manuscripts collected in the system are archived according to the rules of the ICMJE, Index Medicus (Medline/PubMed) and Ulakbim-Turkish Medicine Index.

Format: Manuscripts should be prepared using Microsoft Word, size A4 with 2.5 cm margins on all sides, 12 pt Arial font, and 1.5 line spacing.

Abbreviations: Abbreviations should be defined at first mention and used consistently throughout the text thereafter. Internationally accepted abbreviations should be used; refer to scientific writing guides as necessary.

Cover letter: The cover letter should include the manuscript type, a statement confirming that the article is not under consideration for publication by another journal, declaration of all sources of funding and equipment (if applicable) and a conflict of interest statement. In addition, the authors should confirm that articles submitted in English have undergone language editing and that original research articles have been reviewed by a biostatistician.

REFERENCES

Authors are solely responsible for the accuracy of all references.

In-text citations: References should be indicated as a superscript immediately after the period/full stop of the relevant sentence. If the author(s) of a reference is/are indicated at the beginning of the sentence, this reference should be written in superscript immediately after the author's name. Relevant research conducted in Türkiye or by Turkish investigators should be cited when possible.

Citing presentations given at scientific meetings, unpublished manuscripts, theses, Internet addresses, and personal interviews or experiences should be avoided. If such references are used, they should be indicated in parentheses at the end of the relevant sentence in the text, without a reference number and written in full, in order to clarify their nature.

References section: References should be numbered consecutively in the order in which they are first mentioned in the text. All authors should be listed regardless of number. The titles of journals should be abbreviated according to the style used in the Index Medicus.

Reference Format

Journal: Last name(s) of the author(s) and initials, article title, publication title and its original abbreviation, publication date, volume, the inclusive page numbers.

Example:

Collin JR, Rathbun JE. Involitional entropion: a review with evaluation of a procedure. *Arch Ophthalmol*. 1978;96:1058-1064.

Book: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the extract cited.

INSTRUCTIONS TO AUTHORS

Example: Herbert L. The Infectious Diseases (1st ed). Philadelphia; Mosby Harcourt; 1999:11;1-8.

Book Chapter: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the cited piece. Example:

O'Brien TP, Green WR. Periocular Infections. In: Feigin RD, Cherry JD, eds. Textbook of Pediatric Infectious Diseases (4th ed). Philadelphia; W.B. Saunders Company;1998:1273-1278.

Books in which the editor and author are the same person: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the cited piece.

Example: Solcia E, Capella C, Kloppel G. Tumors of the exocrine pancreas. In: Solcia E, Capella C, Kloppel G, eds. Tumors of the Pancreas. 2nd ed. Washington: Armed Forces Institute of Pathology; 1997:145-210.

FIGURES, TABLES, GRAPHICS, AND IMAGES

All visual materials together with their legends should be located on separate pages following the main text.

Images:

Images (pictures) should be numbered and include a brief title. Permission to reproduce pictures that were published elsewhere must be included. All pictures should be of the highest quality possible, in JPEG format, and at a minimum resolution of 300 dpi.

Tables, Graphics, Figures: All tables, graphics or figures should be enumerated according to their sequence within the text and a brief descriptive caption should be written. Any abbreviations used should be defined in the accompanying legend. Tables in particular should be explanatory and facilitate readers' understanding of the manuscript, and should not repeat data presented in the main text.

BIOSTATISTICS

To ensure controllability of research findings, the study design, study sample, and methodological approaches and practices should be explained with appropriate sources referenced.

The "p" value defined as the limit of significance along with appropriate indicators of measurement error and uncertainty (confidence interval, etc.) should be specified. Statistical terms, abbreviations, and symbols used in the article should be described and the software used should be stated. Statistical terminology (random, significant, correlation, etc.) should not be used in non-statistical contexts.

All data and analysis results should be presented as tables and figures and summarized in the text of the Results section. Details of the biostatistical methods and procedures used should be presented in the Materials and Methods section or under a separate Statistics heading before the Results section.

MANUSCRIPT TYPES

Original Research Articles

Includes clinical studies, clinical observations, new techniques, and experimental and in vitro studies. Original research articles should include a title, structured abstract, keywords relevant to the content of the article, and introduction, materials and methods, results, discussion, study limitations, conclusion, references, tables/figures/images, and acknowledgements sections. The main text

should not exceed 3000 words, excluding references. The title, abstract, and keywords should be written in both Turkish and English.

Title Page: This page should include the manuscript title, short title, and author name(s) and affiliation(s). The following descriptions should be stated in the given order:

1. Title of the manuscript (Turkish and English), as concise and explanatory as possible, including no abbreviations, up to 135 characters
2. Short title (Turkish and English), up to 60 characters
3. The authors should express the word number of the article on the title page in one sentence.
4. Each author's full name (without abbreviations and academic titles) and affiliation
5. The corresponding author's name, postal address, e-mail address, and phone and fax numbers
6. If the study was presented at a congress and its abstract was published in the congress abstract book, please provide the date and location of the relevant scientific meeting.
7. The online access link and date should be given for the articles that have been published in preprint repositories.
8. The total number of words in the main text, excluding abstract and references
9. The number of tables and figures

Abstract: The article should be summarized in a Turkish abstract not exceeding 250 words and a corresponding English abstract up to 285 words in length. References should not be cited in the abstract. The use of abbreviations should be avoided as much as possible; any abbreviations in the abstract should be defined and used independently of those used in the main text. For original research articles, the structured abstract should include the following 5 subheadings:

Objectives: The aim of the study should be clearly stated.

Materials and Methods: The study should be described, including selection criteria, design (randomized, retrospective/prospective, etc.), and statistical methods applied, if applicable.

Results: The main results of the study should be stated and the statistical significance level should be indicated.

Conclusion: The results of the study should be summarized and the clinical applicability of the results should be defined.

Keywords: The abstract should be followed by 3 to 5 keywords. Keywords in English should be consistent with the Medical Subject Headings (MESH) terms (www.nlm.nih.gov/mesh/MBrowser.html). Turkish keywords should be direct translations of MESH terms.

The main text of the article should include the following headings:

Introduction: Should consist of a brief background to the subject and the study objective(s), supported by information from the literature.

Materials and Methods: The study plan should be clearly described, including whether the study was randomized and retrospective or prospective, the inclusion and exclusion criteria applied, the patient/sample number and characteristics, and statistical methods used.

Results: The results of the study should be stated, with tables/figures given in numerical order; the results should be evaluated according to the statistical analysis methods applied. See the Tables, Graphics, Figures, And Images section of the General Guidelines for details about the preparation of visual material.

Discussion: The study results should be discussed in terms of their favorable and unfavorable aspects and they should be compared with the literature. The conclusion of the study should be highlighted.

Study Limitations: This section should state which data and analyses could not be included in the study, discuss limitations of the study, and give recommendations for future studies.

Conclusion: Highlights the results obtained and conclusions that can be drawn from the study.

Acknowledgements: Any technical or financial support or editorial contributions (statistical analysis, English/Turkish evaluation) towards the study should appear at the end of the article.

References: Authors are responsible for the accuracy of the references. See the General Guidelines for details about the usage and formatting required.

Case Reports

Case reports should present cases which are rarely seen, feature novelty in diagnosis and treatment, and contribute to our current knowledge. The first page should include the title in Turkish and English, an unstructured Turkish summary up to 150 words in length and a corresponding English abstract not exceeding 175 words, and keywords in both languages. The main text should include the introduction, case presentation, discussion, and references. The main text should not exceed 1500 words, excluding references. For case series of 3 or more, the main text should not exceed 2000 words, excluding references.

Review Articles

Review articles can address any aspect of clinical or basic ophthalmology and should be written in a format that describes, discusses, and analyzes the current state of knowledge or clinical use based on the latest evidence and offers directions for future research. Most review articles are invited, but uninvited review submissions are also welcome. Contacting the section editor is recommended before submitting a review.

Reviews articles analyze topics in depth, independently, and without bias. The first section should include Turkish and English titles, unstructured summaries, and keywords. All cited literature should be referenced. The main text should not exceed 5000 words, excluding references.

Letters to the Editor

Letters to the Editor should be short commentaries related to current developments in ophthalmology and their scientific and social aspects, or may ask questions or offer further contributions in response to articles published in the Journal. Letters do not include a title or an abstract, should not exceed 500 words, and can have up to 5 references.

CORRESPONDENCE

All correspondence should be directed to the Journal's secretariat:

Post: Turkish Ophthalmological Association

Avrupa Konutları Kale, Maltepe Mah. Yedikule Çırpıcı Yolu Sk. 9. Blok No: 2 Kat:1 Ofis:1 Zeytinburnu-İstanbul-Türkiye
Phone: +90 212 801 44 36/37 Fax: +90 212 801 44 39

Web Page: www.ofthalmoloji.org

E-mail: dergi@ofthalmoloji.org / sekreter@ofthalmoloji.org

CONTENTS

Research Articles

- 324 Revisiting Pentacam Parameters in the Diagnosis of Subclinical and Mild Keratoconus Based on Different Grading System Definitions
Ibrahim Toprak, Çiğdem Martin, Celal Emre Güneş, Jorge Alio; Denizli, Türkiye; Alicante, Spain
- 336 The Effect of Autografts from the Inferior and Superior Bulbar Conjunctiva on the Ocular Surface in Primary Pterygium Surgery: A Cytology Study
Bircu Kazancı, İrem İnanç, Fatma Çorak Eroğlu, Bizden Sabuncuoğlu, Emine Şen; Ankara, Türkiye
- 343 Expression Analysis of the Small GTP-Binding Protein Rac in Pterygium
Ahmet Saracaloğlu, Şeniz Demiryürek, Kıvanç Güngör, Betül Düzen, Ömer Eronat, Ebru Temiz, Abdullah Tuncay Demiryürek; Gaziantep, Şanlıurfa, Türkiye
- 349 Evaluation of Central and Peripheral Retinal Vascular Changes in the Fellow Eyes of Patients with Unilateral Retinal Vein Occlusions
Mestan Ertop, Fulya Yaylacioğlu Tuncay, Yavuz Kemal Arıbaş, Hüseyin Baran Özdemir, Gökhan Gürelik, Mehmet Emin Atılgan, Şengül Özdek; Ankara, Gaziantep, Türkiye
- 356 Real-World Outcomes of Intravitreal Anti-Vascular Endothelial Growth Factor Treatment for Diabetic Macular Edema in Türkiye: MARMASIA Study Group Report No. 1
Uğur Yayla, Mehmet Orkun Sevik, Veysel Levent Karabaş, Özlem Şahin, Abdullah Özkaya, Nursal Melda Yenerel, Banu Açıkalin Öncel, Fatih Bilgehan Kaplan, Ecem Önder Tokuç, Hatice Selen Kanar, Işıl Kullutürk Karagöz, Ece Başaran Emengen, Ayşe Demirciler Sönmez, Aslan Aykut, Utku Limon, Erdiç Bozkurt, Işıl Özsoy Saygın, Tuğba Aydoğan Gezginslan, Özlem Aydın Öncü, Esra Türkseven Kumral, Nimet Yeşim Erçalık, Erkan Çelik; Kocaeli, İstanbul, Sakarya, Türkiye
- 369 Anterior Segment Changes and Refractive Outcomes after Cataract Surgery Combined with Gonioscopy-Assisted Transluminal Trabeculotomy in Open-Angle Glaucoma
Hatice Tekcan, Serhat İmamoğlu, Mehmet Serhat Mangan; İstanbul, Türkiye

Invited Review

- 377 Golden Indications and an Overview on the Use of Botulinum Toxin in Strabismus
Seyhan B. Özkan; Aydın, Türkiye

Case Reports

- 386 Extraretinal Fibrovascular Proliferation in a Neonate Possibly Associated with an *ESAM* Gene Variant
Sadık Etk Bayramoğlu, Nihat Sayın, Mehmet Erdoğan, Sümeyra Doğan, Alper Gezdirci, Merih Çetinkaya; İstanbul, Türkiye
- 390 Neurofibromatosis Type 1 Vasculopathy Presenting as Branch Retinal Vein Occlusion: Case Report and Review of the Literature
Ece Özdemir Zeydanlı, Şengül Özdek; Ankara, Türkiye
- 395 Surgical Treatment of Bullous Exudative Retinal Detachment Secondary to Atypical Bilateral Central Serous Chorioretinopathy
Hüseyin Baran Özdemir, Murat Yüksel, Murat Hasanreisioğlu, Gökhan Gürelik, Ahmet Murat Sarıcı, İlknur Tuğal-Tutkun, Şengül Özdek; Ankara, İstanbul, Türkiye

Index

- 2023 Referee Index
2023 Author Index
2023 Subject Index